

FORMERLY
THE NORTH-EASTERN FORESTRY CO.

1317 SOUTH MAIN STREET CHESHIRE, CONN.

Telephone BRowning 2-5928



Wholesale Price List

FALL 1955 - SPRING 1956

QUALITY GROWERS SINCE 1909

- MEMBER -

American Association of Nurserymen
National Landscape Nurserymen's Association
Connecticut Nurserymen's Association
New England Nurserymen's Association

KECELAF Durout

TO THE TRADE

PRICES. Prices are F.O.B. our shipping points. Packing on stock shipped in bundles or crates is extra and is charged at cost. This list cancels all previous lists. Prices are subject to change without notice. 5 to 24 plants are sold at the 10 rate; 25 to 249 at the 100 rate; 250 and up at the 1,000 rate.

Orders are accepted on condition that they shall be void should stock become injured by climatic or other causes beyond our control. We cannot be responsible for loss caused by damage or delay in transit. If such damage occurs, it must be reported and claim entered immediately with your local agent

of the transportation company.

All agreements and contracts are subject to ability of shipper to obtain the necessary manpower to dig and pack material and to priorities on material and transportation which may limit, restrict or make im-

possible performance thereunder.

CLAIMS. Claims for error or shortage will be gladly corrected, but we must be notified within FIVE DAYS after arrival of the stock. Such claims must be based upon an actual check of material at the time shipment arrives and not after it has been sold or lined out. Positively no other claims will be allowed unless we are notified within 5 days of arrival of the shipment.

GUARANTEE. Prices do not include any guarantee of growth. We ship only healthy, well-graded stock. TERMS. All accounts are due and payable 30 days from date of invoice. Cash, security, or satisfactory Trade References will be required from unknown parties. Interest at 6% will be charged upon all past due accounts. Cash discounts: 3% for cash with

order; 2% 10 days from date of invoice.

LOCATION. Our nursery is located on the College Highway, Conn. Route 10, two miles south of Cheshire Green and 12 miles north of New Haven. DELIVERY. Delivery can be made by truck to almost any point at a nominal charge, depending upon the distance and the quantity of material. Prompt shipments can be made by freight, carload lots or less; or by express.

THE CHESHIRE NURSERY, INC.
Cheshire, Conn.
Telephone BRowning 2-5928

- REPRESENTED BY -

E. D. ROBINSON

38 SOUTH ELM ST. • WALLINGFORD, CONN.

Telephone COlony 9-5672

50 ACRES OF NURS

SEEDLINGS and TRANSPLANTS

T - Transplants				•
S - Seedlings	Age	Height	Price	e Per
	Years	Inches	100	1000
ABIES concolor	26	3 to 6	7.00	
	. 2-3	3 10 0	7.00	
JUNIPERUS				
hibernica		7 to 14	25.00	200.00
excelsa stricta		6 to 12	30.00	250.00
pfitzeriana	. 3-1	10 to 20	45.00	
PICEA				
canadensis		6 to 12	12.00	
excelsa		3 to 7	4.00	35.00
excelsa		8 to 16 3 to 7	12.00	50.00
pungens		5 to 10	14.00	120.00
PINUS				
	0.0	1.4-0		50.00
mughus (Dwarf strain)	. 2-5	1 to 2	6.00	50.00
strobus	.2-S	2 to 4	4.00	30.00
strobus		6 to 12	12.00	100.00
sylvestris		7 to 14	12.00	100.00
thunbergi	.2-S	3 to 7	6.00	50.00
douglasi	2-5	3 to 6	6.00	50.00
	. 2 0	0 10 0	0.00	30.00
TAXUS	0.7	F . O	05.00	200.00
cuspidata	. 2-T	5 to 9	35.00	300.00
	. 2-T	5 to 9	35.00	300.00
cuspidata	70.75			
	.3-T	8 to 14	40.00	350.00
cuspidata	0.7	F 4= 0	25.00	
andersoni cuspidata Baker	. 2-T	5 to 9	35.00	
spreading	. 2-T	5 to 9	35.00	300.00
cuspidata Baker				
spreading	.3-T	6 to 12	40.00	375.00
cuspidata Barnes	2-T	5 to 10	35.00	300.00
cuspidata	, 2-1	3 10 10	33.00	300.00
Browni	.2-T	5 to 10	30.00	275.00
cuspidata	11/2 0	6 11	0.5	000.00
Columnaris .	.2-T	5 to 9	35.00	300.00
cuspidata Columnaris .	.3-T	6 to 10	40.00	
fastigiata		5 to 9	35.00	300.00
fastigiata		9 to 12	40.00	

RSERY STOCK NOW COMPL

Age	Height	Price	Per
Years	Inches	100	1000

TAXUS (Cont.)

cuspidata intermedia			
upright2-T	5 to 10	35.00	300.00
cuspidata intermedia			
upright3-T	6 to 12	40.00	375.00
cuspidata intermedia			2000
spreading2-T	4 to 8	35.00	
cuspidata intermedia		1.11	
spreading3-T	8 to 12	40.00	350.00
cuspidata nana 2-T	4 to 7	35.00	300.00
cuspidata nana 3-T	4 to 9	40.00	
media hatfieldi 2-T	5 to 9	35.00	300.00
m. Halloran			000.00
strain2-T	4 to 8	30.00	275.00
m. Hicksi2-T	6 to 10	35.00	300.00
m.Wellesleyana 2-T	4 to 7	35.00	300.00
m. Wymani-hedge		00.00	000.00
form2-T	5 to 9	35.00	
92:01 16 c.	W 12		
THUYA			No. of London
THE RESERVE			
occidentalis4-T	10 to 18	12.00	100.00
occidentalis2-T	6 to 12	30.00	
o. globosa2-T	4 to 8	30.00	
o. Brubakeri 2-T	5 to 9	30.00	250.00
o. Brubakeri 3-T	10 to 20	35.00	300.00
o. recurva nana 2-T	4 to 9	25.00	
o. nigra2-T	6 to 12	30.00	250.00
o. elegantissima 2-T	6 to 12	30.00	250.00
o. compacta2-T	6 to 12	30.00	250.00
o. rosenthali 2-T	4 to 8	25.00	
o. wareana2-T	4 to 8	25.00	
o. war. plicata .2-T	5 to 10	25.00	225.00
o. woodwardi . 2-T	5 to 10	30.00	250.00

LINING OUT STOCK TWICE TRANSPLANTED YEW

We are now sold out, but expect to have again a very fine assortment for Fall 1956 & Spring 1957

ETELY IRRIGATED



EVERGREEN TREES Dug B&B

Dog	Height	Each 10 Rate 1	Each 00 Rate
JUNIPERUS	211	a 42	
communis hibernica	3 to 4'	2.00	1.75
PINUS			
strobus	2 to 3' 3 to 4'	3.00 3.50	2.75 3.25
TAXUS			in a direction
cuspidata capitata No. 1 grade	15 to 18" 18 to 24"	3.00 3.50 4.50 3.25 3.50 4.00 13.50 16.50	3.25 4.00 3.00 3.25 3.75
	.12 to 15" 15 to 18" 18 to 24" 2 to 2½'	3.00 2.75 3.00 3.50 5.00	2.75 2.75 3.25
Moon strain cuspidata browni cuspidata nana erecta	18 to 24"	6.50 7.00 3.00 3.75 4.25 3.75 4.00 4.50	3.50 4.00 3.75 4.25
intermedia (upright form)	. 18 to 24" 2 to 2½' 2½ to 3'	3.75 5.25 7.00	3.50 5.00 6.50
media hatfieldi	15 to 18" 18 to 24" 2 to 2½' 2½ to 3' 3 to 3½' 3½ to 4' .12 to 15" 15 to 18" 18 to 24" 2 to 2½' 2½ to 3'	3.00 3.50 4.75 6.00 7.00 8.00 3.00 3.25 4.00 5.00 6.50	2.75 3.25 4.50 5.50 6.50 7.50 2.75 3.00 3.75

media hicksi 15 to 18" 3.00 2.75 18 to 24" 3.50 3.25 2 to 2½' 4.25 4.00 2½ to 3' 6.00 3 to 3½' 6.50 THUYA occidentalis 3 to 4' 2.75 2.50 4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 18 to 24" 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00 3 to 3½' 5.25 5.00	. STAALTERASI	Height	10 Rate Each	100 Rate Each
18 to 24" 3.50 3.25 2 to 2½' 4.25 4.00 2½ to 3' 6.00 3 to 3½' 6.50 THUYA Occidentalis 3 to 4' 2.75 2.50 4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 Occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 Occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 Occ. elegantissima 18 to 24" 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 Occ. nigra 3 to 4' 2.75 2.50 Occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 Occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 Occ. wareana 18 to 24" 2.00 1.75 TSUGA Canadensis 18 to 24" 3.00 2.75 TSUGA	modia hicksi	15 to 19"	3.00	0.75
2 to 2½' 4.25 4.00 2½ to 3' 6.00 3 to 3½' 6.50 THUYA occidentalis 3 to 4' 2.75 2.50 4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	media mcksi			
THUYA occidentalis 3 to 4' 2.75 2.50				
THUYA occidentalis 3 to 4' 2.75 2.50				
THUYA occidentalis 3 to 4' 2.75 2.50		3 to 3½'	6.50	
occidentalis 3 to 4' 2.75 2.50 4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00				
occidentalis 3 to 4' 2.75 2.50 4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00		TOP ME	TOTAL CO.	
4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	THUYA	* * *		
4 to 5' 3.75 3.50 5 to 6' 5.50 6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occidentalis	.3 to 4'	2.75	2.50
6 to 7' 6.50 7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	The state of the s			
7 to 8' 8.00 8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	DATE OF THE PARTY OF	5 to 6'	5.50	
8 to 9' 9.00 9 to 10' 10.00 occ. brubakeri2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00				
9 to 10' 10.00 occ. brubakeri 2 to 3' 2.50 2.25 3 to 4' 2.75 2.50 occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	COLE GEO COLO	2.4		
occ. brubakeri	The state of the s			
occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ brubakeri			2.25
occ. douglasi (spiralis) 18 to 24" 2.25 2.00 3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ. biobakeii			
3 to 4' 3.50 7 to 8' 8.00 8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ. douglasi (spiralis)			
8 to 9' 9.00 occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 <td< td=""><td>140</td><td></td><td></td><td>orland.</td></td<>	140			orland.
occ. elegantissima 18 to 24" 2.00 1.75 2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	Of the open was	7 to 8'	8.00	
2 to 3' 2.25 2.00 3 to 4' 3.00 5 to 6' 5.50 occ. nigra				
3 to 4' 3.00 5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ. elegantissima		I was a district of	
5 to 6' 5.50 occ. nigra 3 to 4' 2.75 2.50 occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00				2.00
occ. nigra				
occ. pyramidalis 2 to 3' 2.25 2.00 6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali 4 to 5' 3.75 5 to 6' 5.50 occ. wareana 18 to 24" 2.00 1.75 TSUGA canadensis 18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ pigra			2 50
6 to 7' 6.00 7 to 8' 7.25 8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali				
8 to 9' 9.00 9 to 10' 10.00 10 to 11' 12.00 occ. rosenthali	oss. pyramidans received			
9 to 10′ 10.00 10 to 11′ 12.00 occ. rosenthali	4 0)3 40.86 (0.86	7 to 8'	7.25	
10 to 11' 12.00 occ. rosenthali	Towns and the			
occ. rosenthali				
5 to 6' 5.50 2.00 1.75 TSUGA canadensis	and the state of t			
occ. wareana18 to 24" 2.00 1.75 TSUGA canadensis18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ. rosenman			
TSUGA canadensis18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	occ wareana			1.75
canadensis18 to 24" 3.00 2.75 2 to 3' 4.25 4.00	Jac. Hardana TTTTT	16		1 1 1
canadensis18 to 24" 3.00 2.75 2 to 3' 4.25 4.00				
2 to 3' 4.25 4.00	TSUGA			THE STATE OF THE S
2 to 3' 4.25 4.00	canadensis	18 to 24"	3.00	2.75
	/#			

All Taxus items and all Tsuga canadensis can be certified for shipment outside Japanese beetle areas.

